

Bibliography

Minnesota Diabetes in the Hospital Action Group

August 2009

- [Research Publications](#)
- [Clinical Guidelines, Position Statements, Order Sets and Technical Reviews](#)
- [Fact Sheets and Statistics](#)

Research Publications

Ahmann A. Reduction of hospital costs and length of stay by good control of blood glucose levels. *Endocr Pract*, 2004; 10 Suppl 2:53-6. [Review]

Anthony M. Hypoglycemia in hospitalized adults. *Medsurg Nurs*. 2008 Feb;17(1):31-4, 40. [Review]

Anthony M. Treatment of hypoglycemia in hospitalized adults: a descriptive study. *Diabetes Educ*. 2007 Jul-Aug;33(4):709-15.

Asudani D, Calles-Escandon J. Inpatient hyperglycemia: slide through the scale but cover the bases first. *J Hosp Med*. 2007;2 Suppl 1:23-32. [Review]

Baldwin D, Villanueva G, McNutt R, Bhatnagar S. Eliminating inpatient sliding-scale insulin: a reeducation project with medical house staff. *Diabetes Care*, 2005; 28(5):1008-11.

Bland DK, Fankhanel Y, Langford E, et al. Intensive versus modified conventional control of blood glucose level in medical intensive care patients: A pilot study. *Am J Crit Care*, 2005; 14(5):370-6.

Bloomgarden ZT. Inpatient diabetes control: approaches to treatment. *Diabetes Care*, 2004; 27:2272-7. [Review]

Bode BW, Braithwaite SS, Steed RD, Davidson PC. Intravenous insulin infusion therapy: indications, methods, and transition to subcutaneous insulin therapy. *Endocr Pract*. 2004 Mar-Apr;10 Suppl 2:71-80. [Review]

Boord JB, Greevy RA, Braithwaite SS, et al. Evaluation of hospital glycemic control at US Academic Medical Centers. *J Hosp Med*. 2009 Jan;4(1):35-44.

Boulkina LS, Braithwaite SS. Practical aspects of intensive insulinization in the intensive care unit. *Curr Opin Clin Nutr Metab Care*. 2007 Mar;10(2):197-205. [Review]

Boullu-Sanchis S, Ortega F, Chabrier G, et al. Efficacy of short term continuous subcutaneous insulin lispro versus continuous intravenous regular insulin in poorly controlled, hospitalized, type 2 diabetic patients. *Diabetes Metab*. 2006 Sep;32(4):350-7.

Braithwaite SS, Buie MM, Thompson CL, et al. Hospital hypoglycemia: not only treatment but also prevention. *Endocr Pract*. 2004 Mar-Apr;10 Suppl 2:89-99. [Review]

Braithwaite SS, Clement S. Algorithms for intravenous insulin delivery. *Curr Diabetes Rev*. 2008 Aug;4(3):258-68. [Review]

Braithwaite SS, Edkins R, Macgregor KL, et al. Performance of a dose-defining insulin infusion protocol among trauma service intensive care unit admissions. *Diabetes Technol Ther*. 2006 Aug;8(4):476-88.

Braithwaite SS, Godara H, Song HJ, Rock P. No patient left behind: evaluation and design of intravenous insulin infusion algorithms. *Endocr Pract*. 2006 Jul-Aug;12 Suppl 3:72-8. [Review]

Braithwaite SS, Magee M, Sharretts JM, et al.; Society of Hospital Medicine Glycemic Control Task Force. The case for supporting inpatient glycemic control programs now: the evidence and beyond. *J Hosp Med*. 2008 Sep;3(5 Suppl):6-16. [Review]

Braithwaite SS, Robertson B, Mehrotra HP, et al. Managing hyperglycemia in hospitalized patients. *Clin Cornerstone*. 2007;8(2):44-54; discussion 55-7. [Review]

Braithwaite SS. Defining the benefits of euglycemia in the hospitalized patient. *J Hosp Med*. 2007;2 Suppl 1:5-12. [Review]

Braithwaite SS. Does a combined intravenous and subcutaneous insulin strategy improve outcomes after cardiothoracic surgery? *Nat Clin Pract Endocrinol Metab*. 2007;3(10):680-1.

Braithwaite SS. Glucose control in critically ill patients. *N Engl J Med*. 2009 Jul 2;361(1):89-90; author reply 91-2.

Braithwaite SS. Importance of carbohydrate exposure before and after conversion from intravenous insulin therapy to subcutaneous administration of insulin glargine. *Endocr Pract*. 2007 Mar-Apr;13(2):202-3; author reply 203.

Braithwaite SS. Inpatient insulin therapy. *Curr Opin Endocrinol Diabetes Obes*. 2008 pr;15(2):159-66. [Review]

Braithwaite SS. Patient-level glucose reporting: averages, episodes, or something in between? *Crit Care*. 2008;12(2):133.

Braithwaite SS. The transition from insulin infusions to long-term diabetes therapy: the argument for insulin analogs. *Semin Thorac Cardiovasc Surg*. 2006 Winter;18(4):366-78. [Review]

Brunkhorst FM, Engel C, Bloos F, et al; German Competence Network Sepsis - SepNet. Intensive insulin therapy and pentastarch resuscitation in severe sepsis. *N Engl J Med*. 2008;358:125-139.

Buonocore D. Leadership in action: creating a change in practice. *AACN Clin Issues*, 2004; 15:170-81.

Capes SE, Hunt D, Malmberg K, et al. Stress hyperglycemia and prognosis of stroke in nondiabetic and diabetic patients: a systematic overview. *Stroke*, 2001; 32:2426-32. [Review]

Capes SE, Hunt D, Malmberg K, Gerstein HC. Stress hyperglycemia and increased risk of death after myocardial infarction in patients with and without diabetes: a systematic overview. *Lancet*, 2000; 355:773-8. [Review]

Carey N, Courtenay M, James J, et al. An evaluation of a Diabetes Specialist Nurse prescriber on the system of delivering medicines to patients with diabetes. *J Clin Nurs*. 2008 Jun;17(12):1635-44.

Chaudhuri A, Janicke D, Wilson MF, et al. Anti-inflammatory and profibrinolytic effect of insulin in acute ST-segment-elevation myocardial infarction. *Circulation*, 2004; 109:849-54.

Clement S, Braithwaite SS, Magee MF, et al; American Diabetes Association Diabetes in Hospitals Writing Committee. Management of diabetes and hyperglycemia in hospitals. *Diabetes Care*. 2004 Feb;27(2):553-91. [Review] Erratum in: *Diabetes Care*. 2004 Mar;27(3):856 and *Diabetes Care*. 2004 May;27(5):1255.

Conaway DG, O'Keefe JH, Reid KJ, et al. Frequency of undiagnosed diabetes mellitus in patients with acute coronary syndrome. *Am J Cardio*, 2005; 96:363-5.

Conner TM, Flesner-Gurley KR, Barner JC. Hyperglycemia in the hospital setting: the case for improved control among non-diabetics. *Ann Pharmacother*; 2005; 39(3):492-501. [Review]

Currie CJ, Poole CD, Woehl A, Morgan CL, Cawley S, Rousculp MD, Covington MT, Peters JR. The health-related utility and health-related quality of life of hospital-treated subjects with type 1 or type 2 diabetes with particular reference to differing severity of peripheral neuropathy. *Diabetologia*. 2006 Oct;49(10):2272-80.

Dalton M, Klipfel L, Carmichael K. Safety Issues: Use of continuous subcutaneous insulin infusion (CSII) pumps in hospitalized patients. *Hospital Pharmacy*; 2006; 41(10):956-969.

Davidson PC, R. Steed D, Bode BW. Glucomander: A computer-directed intravenous insulin system shown to be safe, simple, and effective in 120,618 h of operation. *Diabetes Care*, 2005; 28:2418-23.

DeSantis AJ, Schmeltz LR, Schmidt K, O'Shea-Mahler E, Rhee C, Wells A, Brandt S, Peterson S, Molitch ME. Inpatient management of hyperglycemia: the Northwestern experience. *Endocr Pract*. 2006 Sep-Oct;12(5):491-505.

Diabetes Special Interest Group of the Partnership; for Health and Accountability. Tight blood glucose control in the hospital inpatient setting: a collaborative solution. *J Med Assoc Ga*. 2007;96(2):34-7, 39-40. [Review]

Donner TW, Flammer KM. Diabetes management in the hospital. *Med Clin North Am*. 2008 Mar;92(2):407-25, ix-x. [Review]

Dungan K, Chapman J, Braithwaite SS, Buse J. Glucose measurement: confounding issues in setting targets for inpatient management. *Diabetes Care*. 2007 Feb;30(2):403-9. [Review]

Dungan KM, Braithwaite SS, Preiser JC. Stress hyperglycaemia. *Lancet*. 2009 May 3;373(9677):1798-807. [Review]

Elinav H, Wolf Z, Szalat A, Bdolah-Abram T, Glaser B, Raz I, Leibowitz G. In-hospital treatment of hyperglycemia: effects of intensified subcutaneous insulin treatment. *Curr Med Res Opin.* 2007 Apr;23(4):757-65.

Ellger B, Debaveye Y, Vanhorebeek I, et al. Survival benefits of intensive insulin therapy in critical illness: impact of maintaining normoglycemia versus glycemia-independent actions of insulin. *Diabetes*, 2006; 55(4):1096-105.

Estrada CA, Young JA, Nifong LW, et al. Outcomes and perioperative hyperglycemia in patients with or without diabetes mellitus undergoing coronary artery bypass grafting. *Ann Thorac Surg*, 2003; 75:1392-9.

Fasano CJ, O'Malley G, Dominici P, Aguilera E, Latta DR. Comparison of octreotide and standard therapy versus standard therapy alone for the treatment of sulfonyleurea-induced hypoglycemia. *Ann Emerg Med.* 2008 Apr;51(4):400-6.

Finfer S, Chittock DR, Su SY, et al (NICE-SUGAR Study Investigators). Intensive versus conventional glucose control in critically ill patients. *N Engl J Med.* 2009;360: 1283-97.

Furnary AP, Braithwaite SS. Effects of outcome on in-hospital transition from intravenous insulin infusion to subcutaneous therapy. *Am J Cardiol*, 2006; 98(4):557-64,. [Review]

Furnary AP, Gao G, Grunkemeier GL, et al. Continuous insulin infusion reduces mortality in patients with diabetes undergoing coronary artery bypass grafting. *J Thorac Cardiovasc Surg*, 2003; 125:1007-21.

Furnary AP, Wu Y, Bookin SO. Effect of hyperglycemia and continuous intravenous insulin infusions on outcomes of cardiac surgical procedures: the Portland Diabetic Project. *Endocr Pract*, 2004; Suppl 2:21-33.

Furnary AP, Zerr KJ, Grunkemeier GL, Starr A. Continuous intravenous insulin infusion reduces the incidence of deep sternal wound infection in diabetic patients after cardiac surgical procedures. *Ann Thorac Surg.* 1999; 67:352-60; discussion 360-2.

Goldberg PA, Roussel MG, Inzucchi SE. Clinical results of an updated insulin infusion protocol in critically ill patients. *Diabetes Spectrum*, 2005; 18(3):188-91.

Goldberg PA, Siegel MD, Sherwin RS, et al. Implementation of a safe and effective insulin infusion protocol in a medical intensive care unit. *Diabetes Care*, 2004; 27:461-7.

Golden S, Peart -Vigilance C, Kao W, Brancati FL. Perioperative glycemic control and risk of infectious complications in a cohort of adult with diabetes. *Diabetes Care*, 1999; 22:1408-14.

Goyal A, Mehta SR, Gerstein HC, Díaz R, Afzal R, Xavier D, Zhu J, Pais P, Lisheng L, Kazmi KA, Zubaid M, Piegas LS, Widimsky P, Budaj A, Avezum A, Yusuf S. Glucose levels compared with diabetes history in the risk assessment of patients with acute myocardial infarction. *Am Heart J.* 2009 Apr;157(4):763-70.

Griesdale DE, de Souza RJ, van Dam RM, et al. Intensive insulin therapy and mortality among critically ill patients: a meta-analysis including NICE-SUGAR study data [published online ahead of print March 24, 2009]. *CMAJ* 2009 Apr 14;180(8):821-7.

Guillermo E. Umpierrez. Insulin Therapy and Glycemic Control in Hospitalized Patients With Diabetes During Enteral Nutrition Therapy. *Diab Care*. April 2009 32:751-53.

HealthGrades Quality Study: *Sixth annual patient safety in American hospitals study*. Health Grades, Inc. April 2009. Accessed August 3, 2009 at

www.healthgrades.com/media/dms/pdf/PatientSafetyInAmericanHospitalsStudy2009.pdf

Hellman R. A systems approach to reducing errors in insulin therapy in the inpatient setting. *Endocrine Pract*, 2004; 10 Suppl 2:100-8.

Ingels C, Debaveye Y, Milants I, et al. Strict blood glucose control with insulin during intensive care after cardiac surgery: impact on 4-years survival, dependency on medical care, and quality-of-life. *Eur Heart J*, 2006 Apr 11.

Juneja R. Hyperglycemia management in the hospital: about glucose targets and process improvements. *Postgrad Med*. 2008 Nov;120(4):38-50. [Review]

Kawahara T, Takahashi K, Inazu T, Arao T, Kawahara C, Tabata T, Moriyama H, Okada Y, Morita E, Tanaka Y. Reduced progression to type 2 diabetes from impaired glucose tolerance after a 2-day in-hospital diabetes educational program: the Joetsu Diabetes Prevention Trial. *Diabetes Care*. 2008 Oct;31(10):1949-54.

Kim S. Burden of hospitalizations primarily due to uncontrolled diabetes: implications of inadequate primary health care in the United States. *Diabetes Care*. 2007 May;30(5):1281-2.

Korytkowski MT, Salata RJ, Koerbel GL, Selzer F, Karslioglu E, Idriss AM, Lee KK, Moser AJ, Toledo FG. Insulin therapy and glycemic control in hospitalized patients with diabetes during enteral nutrition therapy: a randomized controlled clinical trial. *Diabetes Care*. 2009 Apr;32(4):594-6.

Kosiborod M, Inzucchi SE, Goyal A, et al. The relationship between spontaneous and iatrogenic hypoglycemia and mortality in patients hospitalized with acute myocardial infarction [abstract]. *Circulation*. 2008;118(suppl):S1109.

Kosiborod M, Rathore SS, Inzucchi SE, et al. Admission glucose and mortality in elderly patients hospitalized with acute myocardial infarction: implications for patients with and without recognized diabetes. *Circulation*, 2005; 111:3078

Krinslev JS. Effect of intensive glucose management protocol on the mortality of critically ill adult patients. *Mayo Clin Proc*, 2004; 79:992-1000.

Krinsley JS, Grover A. Severe hypoglycemia in critically ill patients: risk factors and outcomes. *Crit Care Med*. 2007;35:2262-7.

Krinsley JS, Jones RL. Cost analysis of intensive glycemic control in critically ill adult patients. *Chest*, 2006; 129(3):644-50.

Ku SY, Sayre CA, Hirsch IB, et al. New insulin infusion protocol Improves blood glucose control in hospitalized patients without increasing hypoglycemia. *Jt Comm J Qual Patient Saf*, 2005; 31:141-7.

Langouche L, Van den Berghe G. Glucose metabolism and insulin therapy. *Crit Care Clin*. 2006; 22(1):119-29, vii. [Review]

Latham R, Lancaster AD, Covington JF, et al. The association of diabetes and glucose control with surgical site infection among cardiothoracic surgery patients. *Infect Control Hosp Epidemiol*, 2001; 22:607-12.

Lavernia F. Treating hyperglycemia and diabetes with insulin therapy: transition from inpatient to outpatient care. *Medscape J Med*. 2008;10(9):216. [Review]

Le DS, Brookshire T, Krakoff J, Bunt JC. Repeatability and reproducibility of the hyperinsulinemic-euglycemic clamp and the tracer dilution technique in a controlled inpatient setting. *Metabolism*. 2009 Mar;58(3):304-10.

Levetan CS, Passaro M, Jablonski K, Kass M, Ratner RE. Unrecognized diabetes among hospitalized patients. *Diabetes Care*. 1998; 21:246-9.

Levetan CS, Salas JR, Willets IF, Zumoff B. Impact of endocrine and diabetes team consultation on hospital length of stay for patients with diabetes. *Am J Med*, 1995; 99:22-8.

Lien LF, Angelyn Bethel M, Feinglos MN. In-hospital management of type 2 diabetes mellitus. *Med Clin North Am*, 2004; 88(4):1085-105, xii. [Review]

Lien LF, Spratt SE, Woods Z, Osborne KK, Feinglos MN. Optimizing hospital use of intravenous insulin therapy: improved management of hyperglycemia and error reduction with a new nomogram. *Endocr Pract*, 2005; 11(4):240-53.

Ishihata M, Kojima S, Sakamoto T, Japanese Acute Coronary Syndrome Study Investigators. Acute hyperglycemia is associated with adverse outcome after acute myocardial infarction in the coronary intervention era. *Am Heart J*, 2005; 150:814-20.

Magee MF, Clement S. Subcutaneous insulin therapy in the hospital setting: issues, concerns, and implementation. *Endocr Pract*, 2004; 10 Suppl 2:81-8.

Malmberg K (DIGAMI [Diabetes Mellitus, Insulin Glucose Infusion in Acute Myocardial Infarction] Study Group). Prospective randomised study of intensive insulin treatment on long term survival after acute myocardial infarction in patients with diabetes mellitus. *BMJ*. 1997;314:1512-5.

Malmberg K, Norhammar A, Wedel H, et al. Glycometabolic state at admission important risk marker of mortality in conventionally treated patients with diabetes mellitus and acute myocardial infarction: long-term results from the Diabetes and Insulin-Glucose Infusion in Acute Myocardial Infarction (DIGAMI) study. *Circulation*, 1999; 99:2626-32.

Malmberg K, Ryden L, Wedel H, DIGAMI 2 Investigators. Intense metabolic control by means of insulin in patients with diabetes mellitus and acute myocardial infarction (DIGAMI 2): effects on mortality and morbidity. *Eur Heart J*, 2005; 26:650-61.

Markovitz LJ, Wiechmann RJ, Harris N, et al. Description and evaluation of a glycemic management protocol for patients with diabetes undergoing heart surgery. *Endocr Pract*, 2002; 8:10-8.

Maynard G, O'Malley CW, Kirsh SR. Perioperative care of the geriatric patient with diabetes or hyperglycemia. *Clin Geriatr Med*. 2008 Nov;24(4):649-65, viii. [Review]

Maynard G, Wesorick DH, O'Malley C, Inzucchi SE; Society of Hospital Medicine Glycemic Control Task Force. Subcutaneous insulin order sets and protocols: effective design and implementation strategies. *J Hosp Med*. 2008 Sep;3(5 Suppl):29-41. [Review]

Mehta RH, Milford-Beland S, Peterson ED, Bhatt DL, Farkouh ME, Brogan GX, Gibler WB, Ohman EM, Roe MT. Characterizing young patients with diabetes and non-ST-segment elevation acute coronary syndromes. *Diabetes Care*. 2007 Mar;30(3):731-3.

Mehta SR, Yusuf S, Diaz R; CREATE-ECLA Trial Group Investigators. Effect of glucose-insulin-potassium infusion on mortality in patients with acute ST-segment elevation myocardial infarction: the CREATE-ECLA randomized controlled trial. *JAMA*, 2005; 293:437-46.

Michota F, Braithwaite SS. Avoiding complications in the hospitalized patient: the case for tight glycemic control. *J Hosp Med*. 2007;2 Suppl 1:1-4.

Moghissi ES, Hirsch IB. Hospital management of diabetes. *Endocrinol Metab Clin North Am*, 2005; 34(1):99-116. [Review]

Moghissi ES. Insulin strategies for managing inpatient and outpatient hyperglycemia and diabetes. *Mt Sinai J Med*. 2008 Dec 1;75(6):558-66. [Review]

Nettles AT. Patient education in the hospital. *Diabetes Spectrum*, 2005; 18(1):44-8.

Newton CA, Young S. Financial implications of glycemic control: results of an inpatient diabetes management program. *Endocr Pract*. 2006;12(suppl 3):43-48.

Norhammar A, Tenerz A, Nilsson G, et al. Glucose metabolism in patients with acute myocardial infarction and no previous diagnosis of diabetes mellitus: a prospective study. *Lancet*, 2002; 359:2140-4.

Olson L, Muchmore J, Lawrence CB. The benefits of inpatient diabetes care: improving quality of care and the bottom line. *Endocr Pract*. 2006;12(suppl 3):35-42.

O'Malley CW, Emanuele M, Halasyamani L, Amin AN; Society of Hospital Medicine Glycemic Control Task Force. Bridge over troubled waters: safe and effective transitions of the inpatient with hyperglycemia. *J Hosp Med*. 2008 Sep;3(5 Suppl):55-65. [Review]

Onuma Y, Kukreja N, Ramcharitar S, Hochadel M, Gitt A, Serruys P. Interventional treatment in diabetics in the era of drug-eluting stents and compliance to the ESC guidelines: lessons learned from the Euro Heart Survey Programme. *EuroIntervention*. 2009 Mar;4(5):578-87.

Osburne RC, Cook CB, Stockton L, et al. Improving hyperglycemia management in the intensive care unit: preliminary report of a nurse-driven quality improvement project using a redesigned insulin infusion algorithm. *Diabetes Educ*, 2006; 32(3):394-403.

Quattara A, Lecomte P, Le Manach Y, et al. Poor intraoperative blood glucose control is associated with a worsened hospital outcome after cardiac surgery in diabetic patients. *Anesthesiology*, 2005; 103(4):687-94.

Perkins J, Ambrosion R, Kinsey K. Bring "order" to diabetes management. *Nurs Manage*. 2008 May;39(5):24-30. [Review]

Pittas AG, Siegel RD, Lau J. Insulin therapy for critically ill hospitalized patients: a meta-analysis of randomized, control trials. *Arch Inter Med*, 2004; 164:2005-11. [Review]

Plank J, Blaha J, Cordingley J, et al. Multicentric, randomized, controlled trial to evaluate blood glucose control by the model predictive control algorithm versus routine glucose management protocols in intensive care unit patients. *Diabetes Care*, 2006; 29:271-6.

Pomposelli JJ, Baxter JK, Babineau TJ, et al. Early postoperative glucose control predicts nosocomial infection rate in diabetic patients. *J Parenter Enteral Nutr*, 1998; 22:77-81

Preston S, Laver SR, Lloyd W, Padkin A. Introducing intensive insulin therapy: the nursing perspective. *Nurs Crit Care*, 2006; 11(2):75-9.

Rady MY, Johnson DJ, Patel BM, et al. Influence of individual characteristics on outcome of glycemic control in intensive care unit patients with or without diabetes mellitus. *Mayo Clin Proc*. 2005;80:1558-67.

Robertson D. Practical management of inpatient diabetes regimens. *Br J Hosp Med (Lond)*. 2008 Feb;69(2):M22-5. [Review]

Sala J, Masia R, Gonzalez de Molina FJ, REGICOR Investigators. Short-term mortality of myocardial infarction patients with diabetes or hyperglycaemia during admission. *J Epidemiol Community Health*, 2002; 56:707-12.

Schmeltz LR, Desantis AJ, Schmidt K, et al. Conversion of intravenous insulin infusions to subcutaneously administered insulin glargine in patients with hyperglycemia. *Endocr Pract*. 2006;12:641-50.

Schnipper JL, Magee M, Larsen K, Inzucchi SE, Maynard G; Society of Hospital Medicine Glycemic Control Task Force. Society of Hospital Medicine Glycemic Control Task Force summary: practical recommendations for assessing the impact of glycemic control efforts. *J Hosp Med*. 2008 Sep;3(5 Suppl):66-75. [Review]

Schwab N, Porter M. Inpatient diabetes mellitus in the oncology setting. *Clin J Oncol Nurs*. 2007 Aug;11(4):489-92. [Review]

Smith WD, Winterstein AG, Johns T, et al. Causes of hyperglycemia and hypoglycemia in adult inpatients. *Am J Health-Syst Pharm*, 2005; 62:714-19.

Theilen BM, Gritzke KA, Knutsen PG, Riek AE, McGill JB, Sicard GA, Tobin GS. Inpatient glycemic control on the vascular surgery service. *Endocr Pract*. 2008 Mar;14(2):185-91.

Timmer JR, van der Horst IC, Ottervanger JP, et al. Prognostic value of admission glucose in non-diabetic patients with myocardial infarction. *Am Heart J*, 2004; 148:399-404.

Tomky D. Detection, prevention and treatment of hypoglycemia in the hospital. *Diabetes Spectrum*, 2005; 18(1):39-44.

Trence DL, Kelly JL, Hirsch IB. The rationale and management of hyperglycemia for inpatients with cardiovascular disease: time for change. *J Clin Endocrinol Metab.* 2003;88:2430-7.

Umpierrez GE, Hor T, Smiley D, Temponi A, Umpierrez D, Ceron M, Munoz C, Newton C, Peng L, Baldwin D. Comparison of inpatient insulin regimens with detemir plus aspart versus neutral protamine hagedorn plus regular in medical patients with type 2 diabetes. *J Clin Endocrinol Metab.* 2009 Feb;94(2):564-9.

Umpierrez GE, Isaacs SD, Bazargan N, et al. Hyperglycemia: an independent marker of in-hospital mortality in patients with undiagnosed diabetes. *J Clin Endocrinol Metab.* 2002;87:978-82.

Umpierrez GE, Palacio A, Smiley D. Sliding scale insulin use: myth or insanity? *Am J Med.* 2007 Jul;120(7):563-7. [Review]

Umpierrez GE, Smiley D, Zisman A, Prieto LM, Palacio A, Ceron M, Puig A, Mejia R. Randomized study of basal-bolus insulin therapy in the inpatient management of patients with type 2 diabetes (RABBIT 2 trial). *Diabetes Care.* 2007 Sep;30(9):2181-6.

Umpierrez GE. Basal Versus Sliding-Scale Regular Insulin in Hospitalized Patients With Hyperglycemia During Enteral Nutrition Therapy. *Diab Care.* April 1, 2009 32:751-53.

Umpierrez GE. Inpatient management of diabetes: an increasing challenge to the hospitalist physician. *J Hosp Med.* 2007;2 Suppl 1:33-5. [Review]

Van den Berghe G, Schoonheydt K, Becx P, et al. Insulin therapy protects the central and peripheral nervous system of intensive care patients. *Neurology.* 2005;64:1348-53.

Van den Berghe G, Wilmer A, Hermans G, et al. Intensive insulin therapy in the medical ICU. *N Engl J Med,* 2006; 354:449-61.

Van den Berghe G, Wouters P, Weekers F, et al. Intensive insulin therapy in critically ill patients. *N Engl J Med,* 2001; 345:1359-67.

Van den Berghe G, Wouters PJ, Bouillon R, et al. Outcome benefit of intensive insulin therapy in the critically ill: Insulin dose versus glycemc control. *Crit Care Med.* 2003;31:359-66.

Van den Berghe G, Wouters PJ, Kesteloot K, Hilleman DE. Analysis of healthcare resource utilization with intensive insulin therapy in critically ill patients. *Crit Care Med,* 2006; 34(3):612-6.

Van den Berghe G. First do no harm ... hypoglycemia or hyperglycemia? *Crit Care Med,* 2006; 34(11):2843-4.

Van den Berghe GH. Role of intravenous insulin therapy in critically ill patients. *Endocr Pract.* 2004;10 Suppl 2:17-20.

Vanhorebeek I, Langouche L, Van den Berghe G. Glycemic and nonglycemic effects of insulin: how do they contribute to a better outcome of critical illness? *Curr Opin Crit Care,* 2005;11(4):304-11. [Review]

Vanhorebeek I, Langouche L, Van den Berghe G. Intensive insulin therapy in the intensive care unit: update on clinical impact and mechanisms of action. *Endocr Pract.* 2006;12 Suppl 3:14-22.

Waddell M, Flanders SJ, Golas A, Zhang Q, Juneja R. Antidiabetic therapy before and 1 year after discharge for patients manifesting in-hospital hyperglycemia. *Postgrad Med.* 2009 May;121(3):61-6.

Wahab NN, Cowden EA, Pearce NJ; ICONS Investigators. Is blood glucose an independent predictor of mortality in acute myocardial infarction in the thrombolytic era? *J Am Coll Cardiol.* 2002;40:1748-54.

Wexler DJ, Cagliero E. Inpatient diabetes management in non-ICU settings: evidence and strategies. *Curr Diabetes Rev.* 2007 Nov;3(4):239-43. [Review]

Wexler DJ, Meigs JB, Cagliero E, Nathan DM, Grant RW. Prevalence of hyper- and hypoglycemia among inpatients with diabetes: a national survey of 44 U.S. hospitals. *Diabetes Care.* 2007 Feb;30(2):367-9.

Wiener RS, Wiener DC, Larson RJ. Benefits and risks of tight glucose control in critically ill adults: a meta-analysis *JAMA.* 2008;300:933-944. Erratum in *JAMA.* 2008;301:936.

Yalla NM, Reynolds LR. Inpatient glycemic control: an evolving paradigm. *Postgrad Med.* 2009 May;121(3):26-32. [Review]

Yendamuri S, Fulda GJ, Tinkoff GH. Admission hyperglycemia as a prognostic indicator in trauma. *J Trauma.* 2003;55:33-38.

Young B, Ott L, Dempsey R, et al. Relationship between admission hyperglycemia and neurologic outcome of severely brain-injured patients. *Ann Surg.* 1989;210:466-72. Discussion 472-73.

Zerr KJ, Furnary AP, Grunkemeier GL, et al. Glucose control lowers the risk of wound infection in diabetics after open heart operations. *Ann Thorac Surg.* 1997;63:356-61.

Clinical Guidelines, Position Statements, Order Sets and Technical Reviews

American College of Endocrinology Task Force on Inpatient Diabetes and Metabolic Control. ACE Position Statement on Inpatient Diabetes and Metabolic Control. *Endocr Pract.* 2004;10:77-82. [Position statement]

American College of Endocrinology Task Force on Inpatient Diabetes and Glycemic. ACE Position Statement on Inpatient Diabetes and Metabolic Control. *Endocr Pract.* 2006;12:3-13. [Position statement]

American Diabetes Association. Bedside blood glucose monitoring in hospitals. *Diabetes Care,* 2004; 27 Suppl 1:S104. [Position statement]

American Diabetes Association. Standards of medical care in diabetes *Diabetes Care*. 2009; 32:S13-S61. [Clinical Guidelines]

Antman EM, Anbe DT, Armstrong PW, et al. ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction--executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 1999 Guidelines for the Management of Patients With Acute Myocardial Infarction). *Circulation*. 2004;110:588-636. [Clinical Guidelines]

Bates D, Clark NG, Cook RI, et al (Writing Committee on Patient Safety and Medical System Errors in Diabetes and Endocrinology). American College of Endocrinology and American Association of Clinical Endocrinologists position statement on patient safety and medical system errors in diabetes and endocrinology. *Endocr Pract*. 2005;11:197-202. [Position statement]

Clement S, Braithwaite SS, Magee MF, American Diabetes Association Diabetes in Hospitals Writing Committee. Management of diabetes and hyperglycemia in hospitals. *Diabetes Care*, 2004; 27:553-91. [Technical review]

Institute for Clinical Systems Improvement. Insulin management: subcutaneous. ICSI, May 2009. Accessed August 3, 2009 at www.icsi.org. [Order set]

Moghissi ES, Korytkowski MT, DiNardo M, et al; American Association of Clinical Endocrinologists; American Diabetes Association. American College of Endocrinology and American Diabetes Association consensus statement on inpatient glycemic control. *Endocr Pract*, 2009; 15(4):353-69 AND *Diab Care*. 2009 Jun;32(6):1119-31. [Position statement] Accessed August 3, 2009 at http://resources.aace.com/PDF/UpdatesInsights/2009_AACE_Consensus_Statement.pdf

Rodbard HW, Blonde L, Braithwaite SS, et al (AACE Diabetes Mellitus Clinical Practice Guidelines Task Force). American Association of Clinical Endocrinologists medical guidelines for clinical practice for the management of diabetes mellitus [published correction appears in *Endocr Pract*. 2008;14:802-803]. *Endocr Pract*. 2007;13(suppl 1):1-68. [Clinical Guidelines]

Fact Sheets and Statistics

American Diabetes Association. Economic costs of diabetes in the U.S. in 2007 [published correction appears in *Diabetes Care*. 2008;31:1271]. *Diabetes Care*. 2008;31: 596-615.

Centers for Disease Control and Prevention. National diabetes fact sheet: general information and national estimates on diabetes in the United States, 2007. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, 2008. Accessed August 3, 2009 at <http://apps.nccd.cdc.gov/DDTSTRS>

Centers for Disease Control and Prevention. Diabetes Data and Trends: Hospitalization. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, 2007. Accessed August 3, 2009 at http://www.cdc.gov/diabetes/statistics/hospitalization_national.htm